CONTENTS

		PAGE
Effect of management practices on mesquite (*Prosopis chilensis*) in a highly alkaline soil	Gurbachan Singh, I P Abrol and S Cheema	1
Plant growth in mound soils of *Odontotermes* species	Kalidas Potineni and G K Veeresh	8
Response of early, mid-late and late-maturing sugarcane varieties to nitrogen application	S Ramakrishna Rao, K Veerabhadra Rao and K Ramalinga Swamy	11
Seed and fertilizer economy in jute (*Corchorus* species) and roselle (*Hibiscus sabdariffa*) by border method of sowing	P C Mitra, B C Mandal, G C Biswas, S K Das and B K Samanta	16
Effect of bacterization in barley (*Hordeum vulgare*)	V N Tiwari, L K Lehri and A N Pathak	19
Degradation of carbendazim in soil by micro-organisms	V K Gupta and S D Sharma	21
Residues of fenitrothion on cauliflower (*Brassica oleracea* convar *botrytis* var *botrytis*) and cabbage (*B. oleracea* convar *capitata* var *capitata*)	S K Handa, A K Dikshit and S Verma	25
Genes for dwarfness in barley (*Hordeum vulgare*) and interrelationship of plant height with yield and yield components	Mahabal Ram	27
Selection criteria for yield in chickpea (*Cicer arietinum*)	V Singh and F Singh	32
Determination of optimum size and shape of experimental plots for sugarbeet (*Beta vulgaris*)	A S Sethi, M L Kapur and R S Kanwar	36
Quarantine processing of chemically treated wheat (*Triticum* species), barley (*Hordeum vulgare*) and triticale germplasm imported during 1981–85	P C Agarwal, Ram Nath, A Majumdar, R K Khetarpal, Usha Dev, A K Lambat, P Kaur, J L Varshney and Shamsher Singh	42

		PAGE
Effect of temperature on germination, incubation and survival in storage of some races of *Puccinia graminis* f. sp *tritici*	P Bahadur and S Kumar	44
Effect of different host plants on development and fertility of black citrus aphid, *Toxoptera aurantii* (Homoptera: Aphididae)	O P Lal	46
Relation of boll development in upland cotton (*Gossypium hirsutum*) with population of pink bollworm (*Pectinophora gossypiella*)	J P Singh	48
Toxicity of insecticide to adults of *Encarsia* (= *Prospaltella*) *perniciosi* (Hymenoptera : Aphilinidae)	M Amin Masoodi, A M Bhat and Vijay K Koul	50
Ovicidal toxicity of insecticides against eggs of *Heliothis armigera* and *Earias vittella*	R A Balikai, T S Thontadarya and K Jairao	52
Effect of insecticides on microflora of Bihar soil	V N Singh and C R Prasad	54
Irrigation scheduling for upland rice (*Oryza sativa*) grown on Vertisols	P R Bharambe, R G Gavane and R P Rodge	55
Effect of planting pattern on sugarbeet (*Beta vulgaris*) yield in waterlogged soils with saline irrigation	H S Thind and G S Hira	57
Effect of inoculum concentration of *Rhizobium japonicum* on soybean (*Glycine max*)	S L Gulati	59
Effect of sowing time and seed treatment on productivity of sorghum (*Sorghum bicolor*) genotypes on shallow and medium-deep soils	C B Patil and K B Chavan	60
Effect of micro-nutrient application on soybean (*Glycine max*) grown in Uttar Pradesh foothills	A S Chandel, S K Tiwari and S C Saxena	62
Assessment of border method in relation to regular sowing in wheat (*Triticum aestivum*) and rice (*Oryza sativa*)	H L Sharma and C M Singh	63
Genetic analysis of developmental characters in greengram (*Vigna radiata*)	J A Patel, S A Patel, P P Zaveri and A R Pathak	66

		PAGE
Heterosis in relation to combining ability in pigeonpea (*Cajanus cajan*)	C Cheralu, V Muralidhar, A Satyanarayana and S Venkateswarlu	68
Heritability estimates and performance of vetiver (*Vetiveria zizanioides*) hybrids	M S Punia, P K Verma and G D Sharma	71
Multiple disease resistance in pigeonpea (*Cajanus cajan*) genotypes against early plant mortality	S C Agrawal and Sushma Nema	73
Use of honey-bee (*Apis cerana indica*) as pollinator in hybrid seed production on male-sterile lines of upland cotton (*Gossypium hirsutum*)	N L Bhale and M G Bhat	74
Relationship of in-coming radiation with photosynthetically active, infra-red and net radiations in *Brassica* species and rocket salad (*Eruca sativa*)	A S Nandwal and M S Kuhad	77
Agro-climatic potential through water-balance approach in West Bengal	D K Mandal, O Challa and C Roy Chowdhury	79
Research review: Honey-bee (*Apis* species) research in India: achievements, problems and possibilities	R C Mishra	85
Transformation and loss of nitrogen due to leaching and ammonia volatilization in wetland rice (*Oryza sativa*) soil	D Panda, K R Mahata, H S Sen and S Patnaik	91
Soil and plant tissue tests for response of blackgram (*Vigna mungo*) to iron application in calcareous soil	R Prasad and R Sakal	97
A basis for simultaneous optimization of chemical and organic nitrogen under optimum C : N conditions	K C K Reddy, G R Maruthi Sankar, M S Gangwar, T S Verma, B Bhattacharyya, P K Ray and Raghubir Singh	102
Effect of plant density and growth-regulator on growth and yield of two hybrids of cotton (*Gossypium hirsutum* × *G. barbadense*)	V Seshadri	107
Host range of Asian rice gall midge (*Orseolia oryzae*) (Diptera : Cecidomyiidae)	K Natarajan, K C Mathur and S Rajamani	110

		PAGE
Effect of intercrops on dispersal of smut (*Ustilago scitaminea*) spores in sugarcane field	S R Misra, R S Ram and Kishan Singh	114
Irrigation of pearlmillet (*Pennisetum glaucum*) and sorghum (*Sorghum bicolor*) with sodic water in presence of gypsum and farmyard manure	S K Sharma and H R Manchanda	118
Genetics of economic characters in an intervarietal cross of okra (*Abelmoschus esculentus*)	Jatinder S Randhawa	120
Variability and path-coefficient analysis in grasspea (*Lathyrus sativus*)	M S Islam, M S Ali, M A Q Shaikh and C S Saha	123
Gene action in opium poppy (*Papaver somniferum*)	K R Khanna and Sudhir Shukla	124
Effect of irrigation and nitrogen on growth, yield, consumptive use and water-use efficiency of Indian mustard (*Brassica juncea* subsp *juncea*)	D K Sharma and Arvind Kumar	127
Effect of mulching and seed rate on rainfed wheat (*Triticum aestivum*)	T V Moorti, R K Sharma, C M Singh and Sarita	129
Chemical control of karnal bunt (*Neovossia indica*) of wheat (*Triticum aestivum*) by single spray of fungicides at heading	Param Jit Singh, H S Dhaliwal and Khem Singh Gill	131
Management of foliar diseases of groundnut (*Arachis hypogaea*) using plant extracts	M P Ghewande	133
Relative susceptibility of chickpea (*Cicer arietinum*) varieties to pulse beetle (*Callosobruchus chinensis*)	P C Rai and J Singh	135
Improvement of yield through increased boll weight in upland cotton (*Gossypium hirsutum*)	Munshi Singh, V P Singh, Kamal Paul and C B Lal	141
Phenotypic stability in watermelon (*Citrullus lanatus*)	Baljit Singh Gill and J C Kumar	145
Mango (*Mangifera indica*)-based cereal-pulse cropping system	M S Rajput, P P Biswas, O P Joshi and K C Srivastava	149

		PAGE
Performance of modified urea materials at graded levels of nitrogen under experimental and farmer's management conditions in lowland rice (*Oryza sativa*)	Wajid Ali Mirza and S Narsa Reddy	154
Nutrient need of maize (*Zea mays*)–potato (*Solanum tuberosum*) cropping sequence in acidic soils of Meghalaya	Kamla Singh and U C Sharma	157
Effect of irrigation on growth analysis, yield and water use in Indian mustard (*Brassica juncea* subsp *juncea*)	D K Sharma and Arvind Kumar	164
Loss in seed yield by insect pests and their occurrence on different dates of sowing in Indian mustard (*Brassica juncea* subsp *juncea*)	M L Joshi, D B Ahuja and B N Mathur	166
New sources of resistance to bacterial blight in exotic lines of upland cotton (*Gossypium hirsutum*)	M K Meshram and Sheo Raj	169
Variability, heritability and genetic advance for yield and its components in sugarcane	M S Hooda and S Singh	171
Regeneration time and pattern of ratoon-tiller development in 'IR 44' rice (*Oryza sativa*)	J S Chauhan, F S S Lopez and B S Vergara	172
Grain yield of rice (*Oryza sativa*) and wheat (*Triticum aestivum*) varieties as affected by different rates of balanced fertilization	Hargopal Singh, K N Sharma, S S Thind and D S Rana	174
Free proline accumulation and water-stress resistance in bread wheat (*Triticum aestivum*) and durum wheat (*T. durum*)	D Narayan and R D Misra	176
Actual evapotranspiration in pearlmillet (*Pennisetum glaucum*) and wheat (*Triticum aestivum*)	V Umamaheswara Rao, O P Bishnoi, Diwan Singh and R C Sharma	179
Effect of mulching on nodulation, nitrogenase activity, growth and yield of greengram (*Vigna radiata*) and cowpea (*Vigna unguiculata* subsp *cylindrica*) grown in arid western Rajasthan	J P Gupta and A V Rao	181

		PAGE
Resistance to foliar diseases in cotton (*Gossypium* species)	R V Hiremath, G M Padaganur and M K Basavaraj	183
Eurytoma species : new facultative hyperparasitoids on *Platygaster oryzae*	K C Mathur, P K Das and S Sasmal	184
Feeding behaviour of newly hatched larvae of yellow stem-borer (*Scirpophaga incertulas*) on different parts of rice (*Oryza sativa*)	V N Rao	186
Seasonal and off-season activity of turpod bug (*Clavigralla gibbosa*) in Madhya Pradesh	K J Singh, O P Singh and R C Thakur	187
Biological control of late leaf-spot (*Phaeoisariopsis personata*) of groundnut (*Arachis hypogaea*)	M P Ghewande	189
Dichlorvos resistance in *Tribolium castaneum*	J D Saxena and S R Sinha	191
Effect of diflubenzuron on larval and post-larval stages of garden hairy caterpillar, *Pericallia ricini* (Lepidoptera : Arctidae)	V V L Mayuravalli, G P V Reedy and M M Krishna Murthy	193
Effect of juvenile hormone-analogues on larvae of castor semilooper (*Achaea janata*) (Lepidoptera : Noctuidae)	M C Bhargava and R P Srivastva	195
Biogas generation from straw of Indian mustard (*Brassica juncea* subsp *juncea*)	S H Suthar and A C Varshney	197
Economics and resource-use productivity of Egyptian clover (*Trifolium alexandrinum*) for fodder production on small and large farms around Jhansi district	I P S Yadav, P R Sreenath, S K Rajpali and R K Sharma	199
Feasibility of augmenting green-manure seed production by rice (*Oryza sativa*)–*dhaincha* (*Sesbania cannabina*) intercropping during rainy season	K P Jha, G B Manna and A P Mishra	207
Nutrient balance-sheet and agro-energetics of pigeonpea (*Cajanus cajan*)–wheat (*Triticum aestivum*) cropping system	K A Singh and Mahendra Pal	211

		PAGE
Loss of biomass, nutrients and energy through weeds as affected by preceding cropping systems and nitrogen fertilization of wheat (*Triticum aestivum*)	B P Patil and Mahendra Pal	218
Irrigation requirement of wheat (*Triticum aestivum*) under shallow water-table conditions	R P Tripathi, Alok Kumar and H S Kushwaha	222
Effect of different intercrops on growth and yield of upland cotton (*Gossypium hirsutum*) and their economics	V Seshadri and K Natarajan	227
Effect of levels and methods of phosphorus application on yield and phosphorus uptake of potato (*Solanum tuberosum*) on an acidic hill soil	U C Sharma and J S Grewal	231
Relative efficacy of nitrogen-carriers at different rates and times of application on growth and yield of Japanese mint (*Mentha arvensis*)	Muni Ram, R L Yadav, B N Chatterjee and D V Singh	236
Effect of preceding crop on nitrogen fertilization of sugarbeet (*Beta vulgaris*) in Punjab	M L Kapur and R S Kanwar	241
Effect of pix and kaolin on growth and yield of upland cotton (*Gossypium hirsutum*)	Devendra Singh and R K Sahay	247
Weed-control measures in rainfed maize (*Zea mays*) in Shiwalik foot-hill region	S P Mittal, Pratap Singh, S K N Dyal, A D Sud and Madan Lal	251
Effect of nitrogen levels and weed-control treatments on nutrient removal by weeds and leaf-nutrient status of peach (*Prunus persica*)	Y P Sharma and V P Bhutani	255
Population fluctuation of *Leucinodes orbonalis* and *Amrasca biguttula biguttula* on brinjal (*Solanum melongena*) in relation to abiotic factors in Meghalaya	R P Shukla	260
Differential effects of plant characters on grain yield under two levels of zinc fertilization in rice (*Oryza sativa*)	M Abdul Salam and S Subramanian	265

		PAGE
Nitrogen requirement of wheat (*Triticum aestivum*) varieties as influenced by date of sowing	K N Sharma, A L Bhandari, D S Rana, J S Sodhi and M L Kapur	266
Improvement of seed germination in jujube (*Ziziphus mauritiana*) with growth-regulators and nitrogenous compounds	B N S Murthy and Y N Reddy	269
Race-specific interactions between different wheat (*Triticum aestivum*) genotypes carrying Sr 24, Sr 25, Sr 26 and Sr 27 genes and virulences of *Puccinia graminis tritici*	P Bahadur	271
Assessment of partitioned growth-stage yield loss due to insect pests of rice (*Oryza sativa*)	H V Pandya, A H Shah and M S Purohit	272
Source and variability for nutritive aspects in amaranth (*Amaranthus* species)	Sarah T George, G K Barat, N Sivakami and B Choudhury	274
Susceptibility of soybean looper (*Pseudoplusia includens*) (Lepidoptera: Noctuidae) larvae to pseudoplusia nuclear-polyhedrosis virus in laboratory	M Z Alam, W C Yearian and S Y Young	275
Effect of water stress on plant water relations and yield of varieties of Indian mustard (*Brassica juncea* subsp *juncea*)	D K Sharma and Arvind Kumar	281
Different cotton (*Gossypium hirsutum*)-based cropping systems, and their fertilizer-use efficiency, yield and economic returns	Kanwar Singh and Surinder Singh	286
Effect of some non-edible oils on retardation of nitrification, yield and nitrogen uptake by rice (*Oryza sativa*) in calcareous soil	R Prasad, B Prasad and J Prasad	291
Relationship between cation-exchange capacity of root and plant growth, yield and nutrient uptake by rice (*Oryza sativa*)	T S Verma, P D Sharma and B Tripathi	295
Direct and residual effect of organic wastes and zinc sulphate on zinc availability under cropping sequence of wheat (*Triticum aestivum*)-rice (*Oryza sativa*) in calcareous soil	B Prasad, M Kumar and J Prasad	300

		PAGE
Solar-radiation interception, green area and dry-matter production in green-gram (*Vigna radiata*)	R Nanda and A D Saini	305
Effect of soil-amender Fertilade on growth, development and yield of upland cotton (*Gossypium hirsutum*)	A R Seshadrinathan and H K Hanumantha Rao	312
Biodegradation of coir-pith	Jeslyn Vijayakumari, Nirmala K Murthy and K Usha	316
Influence of weather factors on light-trap catches of green leafhopper (*Nephotettix virescens*) and brown planthopper (*Nilaparvata lugens*) on rice (*Oryza sativa*)	S Uthamasamy	319
Effect of preceding crops on yield and nitrogen response of rice (*Oryza sativa*)	A D Mongia and B L Gajja	322
Yield-response factor (Ky) for yield prediction under limited water supply in finger millet (*Eleusine coracana*)	R Sudhakara Rao and S Subramanian	324
Effect of fertilizer application on dry-matter production in *Themeda quadrivalvis* grassland	B L Thaware and B B Jadhav	326
Response of upland cotton (*Gossypium hirsutum*) to nitrification-inhibitors	J C Sharma, A D Taneja, A P Sharma and M S Kairon	328
Influence of soil characteristics on profile distribution of DTPA-extractable micronutrient cations	Kuldeep Singh, M S Kuhad and S S Dhankar	331
Nitrogen levels in relation to development and slow-rusting in wheat (*Triticum aestivum*) due to brown rust or leaf rust (*Puccinia recondita* f. sp *tritici*)	Sher Singh and Satyavir	334
Optimum pot size for mass production of vesicular-arbuscular mycorrhizal fungus, *Glomus fasciculatum*	M N Sreenivasa and D J Bagyaraj	337
Development of single-ear thresher for use in plant-breeding experiments and laboratories	R S Devnani	343

		PAGE
Intercropping of Indian rapeseed (*Brassica napus* var *napus*) and *gobhi sarson* (*Brassica napus* subsp *oleifera* var *annua*) with different planting patterns	T R Gupta, J S Saini and K S Labana	349
Effect of time of sowing, row spacing and weed-control treatments on weeds and grain yield of pigeonpea (*Cajanus cajan*)	A C Sinha, B B Mandal and P K Jana	353
Influence of iron-enriched organic wastes on crop yield and iron nutrition of crops in calcareous soil	B Prasad, J Prasad and R Prasad	359
Adsorption-desorption behaviour of zinc in some representative soils of Andhra Pradesh	D K Sarkar, G Krishna Kumari, B V Seshaiah and R N Pillai	364
Sink-source relationships in five cultivars of tomato (*Lycopersicon esculentum*) differing in total solids content of fruit	N K Srinivasa Rao and R M Bhatt	368
Biology and reproduction of citrus nematode (*Tylenchulus semipenetrans*) under five soil types	M E Sweelam and S M Abo-Taka	374
Extent of parasitism of gram-pod borer (*Heliothis armigera*) by Ichneumonid larval parasites	P R Srinivas	377
Efficacy of insecticides and two organic acids for control of bihar hairy caterpillar (*Spilosoma obliqua*) (Lepidoptera : Arctiidae)	S K Mandal and S K Senapati	378
Laboratory evaluation of some chemicals for control of swarming caterpillar (*Spodoptera litura*) infesting rice (*Oryza sativa*) in Konkan region of Maharashtra	R S Patil, S D Bhole and S P Patil	381
Seasonal influence on developmental duration of whitefly (*Bemisia tabaci*) in upland cotton (*Gossypium hirsutum*)	N Venugopalrao and A S Reddy	383
Inheritance of root tumours and their effect on yield and other component characters in oleiferous *Brassica* species	R K Katiyar	385

		PAGE
Phenotypic stability for yield and sucrose in sugarcane	H N Singh and J N Rai	387
Stability of wart-immune hybrids and cultivars of potato (*Solanum tuberosum*)	Jai Gopal	389
Field response of okra (*Hibiscus esculentus*) germplasm to infestation by shoot-and-fruit borer	H R Sardana and O P Dutta	391
Varietal suitability for sweet pickle of turnip (*Brassica rapa*)	C K Narayana, S B Maini and P S Sirohi	392
Reaction of almond (*Prunus dulcis*) cultivars to gummosis in Uttar Pradesh hills	Satya Prakash, M C Nautiyal and A Kumar	394
Effect of weedicides and nitrogen levels on nitrogen uptake and yield of sorghum (*Sorghum bicolor*)	S S Mahalle and Jagdish Seth	395
Effect of sowing method, nitrogen level and weed control on weed competition, nutrient uptake and quality of cumin (*Cuminum cyminum*)	G R Chaudhary	397
Comparative efficiency of urea supergranule and prilled urea for lowland rice (*Oryza sativa*) using ^{15}N	A B Chalam, S P Chakravorti and S K Mohanty	400
Effect of rhizobium and phosphorus on growth parameters and yield of blackgram (*Phaseolus mungo*)	P Sudhakar, B Gopal Singh and L M Rao	402
Photosynthetic capacity of greengram (*Phaseolus radiatus*) leaves under influence of moisture stress	D C Uprety	404
Effect of shelter-belt microclimate on yield of tomato (*Lycopersicon esculentum*) and yield attributes	O P Bishnoi, K D Taneja, V Umamaheswara Rao and J L Mangal	407
Effect of nutrients and growth-regulators on the nutrient status of 'New Castle' apricot (*Prunus armeniaca*) fruits under cold storage	G Sud and V P Bhutani	410
Effect of flooding on extractable zinc, copper, boron and molybdenum in soils and their relation with yield and uptake of these nutrients by rice (*Oryza sativa*)	A K Misra, P K Nayar and S Patnaik	415

		PAGE
Influence of date of planting, age of seedling and plant population on productivity of long-duration 'Gayatri' rice (*Oryza sativa*)	Dinesh Chandra and G B Manna	422
Effect of phosphorus application on crops and soil in wheat (*Triticum aestivum*)–rice (*Oryza sativa*) cropping sequence	Y P Dang, K S Verma and B S Pannu	427
Relative productivity of potato (*Solanum tuberosum*)–wheat (*Triticum aestivum*) sequential and relay cropping systems	S N Sharma, S Singh and R Prasad	431
An ideal intercropping system for rainfed groundnut (*Arachis hypogaea*) in Tamil Nadu	T Senthivel, P Parameswaran, M Arumugam and T Ramanathan	435
Irrigation-scheduling methods for wheat (*Triticum aestivum*) in calcareous soil of north Bihar	U K Prasad, T N Prasad, R D Pandey and M Ehsanullah	438
Character association and path coefficients of quantitative traits in niger (*Guizotia abyssinica*)	B Singh and G J Patra	442
Effect of seed treatment with insecticides on crop stand, termite (*Microtermes mycophagus* and *Odontotermes obesus*) damage and yield of chickpea (*Cicer arietinum*)	Atul Kumar Sharma, J P Bhanot and A N Verma	446
Size and shape of plots and blocks in field trials with Egyptian clover or *berseem* (*Trifolium alexandrinum*) grown for fodder	J A Sastry, P R Sreenath and J T Karnani	449
Effect of phosphorus fertilization, organic matter and root-knot nematode (*Meloidogyne javanica*) infection on growth and nutrient content of tomato (*Lycopersicon esculentum*)	M N Faiyad and M E Sweelam	455
A method to monitor whitefly (*Bemisia tabaci*) in cotton (*Gossypium hirsutum*)	N Venugopal Rao, A S Reddy and K Tirumala Rao	459
Comparison of naturally infected and inoculated ears of wheat (*Triticum aestivum*) with Karnal bunt (*Neovossia indica*) infection	S S Aujla, Satvinder Kaur and Gurjit Singh Rattan	461

		PAGE
Effect of skipped-row reduced technique at normal and reduced level of seed rate and fertilizer on growth and yield of bread wheat (*Triticum aestivum*) under short and mild winter condition of West Bengal	A L Kundu, T K Das and Bikash Kumar Mandal	464
Integrated use of fertilizers and biogas slurry in maize (*Zea mays*)–Indian mustard (*Brassica juncea*)–greengram (*Phaseolus radiatus*) cropping sequence	K Ramalinga Swamy and J C Bajaj	467
Effect of phosphorus and sulphur application on content and uptake of phosphorus in chickpea (*Cicer arietinum*)	P N Singh and H Ram	470
Effect of application of carbofuran-granule along with seed on plant growth and seed yield of cowpea (*Vigna unguiculata*)	S N Sinha and S P Sharma	472
Possibility of top-dressing and foliar application of phosphorus in sugarcane	D V Yadav and N P S Yaduvanshi	476
Development and evaluation of an extruder for soyflour products	K M Sahay and Rajinder P Kachru	478
Energy-use efficiency of rice (*Oryza sativa*) in sodic soil as influenced by irrigation regime and nitrogen	R B Singandhupe and R K Rajput	485
On-farm evaluation of promising early rice (*Oryza sativa*) varieties under rainfed uplands of coastal alluvium and red lateritic soils	K P Jha and G B Manna	490
Reclamation techniques for improvement of sodic soils and crop yield	M V Singh and K N Singh	495
Response of sunflower (*Helianthus annuus*) to saline water irrigation and changing root-zone salinity	I K Girdhar	500
Effect of mulching and phosphorus application on grain yield and profile water-depletion pattern of maize (*Zea mays*), blackgram (*Phaseolus mungo*) and sesame (*Sesamum indicum*) in a tropical soil	N T Singh and A D Mongia	503

		PAGE
Effect of soil and foliar application of nitrogen and phosphorus on yield of seed cotton (*Gossypium hirsutum*)	S P S Tomar, S S Tomar and U K Shrivastava	506
Direct and indirect methods of estimation of evapo-transpiration in wheat (*Triticum aestivum*)	Rajwant Singh and S S Hundal	508
Influence of leaf-area index and temperature on pod number of greengram (*Phaseolus radiatus*)	R Nanda and A D Saini	514
Pollination potential of introduced weevil, *Elaeidobius kamerunicus*, in oilpalm (*Elaeis guineensis*) plantations	K Dhileepan and K U K Nampoothiri	517
Breeding non-fuzzy-seeded upland cotton (*Gossypium hirsutum*)	Munshi Singh, V P Singh, C B Lal and Kamal Paul	522
Effect of gamma-rays on character association in greengram (*Phaseolus radiatus*)	H R Pulivarthi and T N Mary	525
Cytokinin-mediated induction of embryogenic calli and plant regeneration in *indica* rice (*Oryza sativa*)	H S Gupta, A Pattanayak, R N Bhuyan and D K Pandey	526
Effect of groundnut (*Arachis hypogaea*) on pigeonpea (*Cajanus cajan*) in intercropping system	P K Mahapatra, D Satpathy, S C Satpathy and B C Kar	529
Effect of moisture regimes and sources and levels of nitrogen on yield of rice (*Oryza sativa*) in alkali soil	R B Singandhupe and R K Rajput	532
Efficiency of different urea materials for rainy-season rice (*Oryza sativa*)	D K Das	534
Effect of different forms of urea and their time of application on yield attributes and yield of semi-dry rice (*Oryza sativa*)	G Sudhakar Raju and T Yellamanda Reddy	537
Effect of nitrogen on essential oil concentration, yield and nutrient uptake of *davana* (*Artemisia pallens*)	B R Rajeswara Rao, Kailash Singh, P N Kaul and A K Bhattacharya	539
Influence of phosphorus and boron on picking behaviour and quality of french-bean (*Phaseolus vulgaris*), under limited irrigation, grown in Alfisol deficient in P and B	B P Singh, B Singh and B N Singh	541

		PAGE
Germinability of seeds from sodicity-stressed rice (*Oryza sativa*) and changes in sodium and potassium of different plant parts	Ali Qadar	544
Effect of growth-regulators on flower morphometrics with reference to insect pollinators	S K Sharma and R C Mishra	546
Prediction of hay yield in natural grasslands of *Themeda quadrivalvis* at different nitrogen regimes	B L Thaware, B M Jamadagni and S P Birari	548
Research review: Intensive farming in India	S S Grewal and Bhajan Singh	551
Energy and cost requirements for cultivation of rice (*Oryza sativa*)–wheat (*Triticum aestivum*) and maize (*Zea mays*)–wheat rotations	Surendra Singh, Madhu P Singh, R S Rana, V K Mittal and Rupa Bakhshi	558
Effect of different levels of nitrogen and planting density on production of seed potato (*Solanum tuberosum*)	V S Kushwah	561
Cyanobacterial contribution to rice (*Oryza sativa*) in Kashmir	Gh Hassan Dar, M Q Zargar and N M Mir	566
Evaluation of Vertisols and associated soils for banana (*Musa paradisiaca*) cultivation in Jalgaon district of Maharashtra	G S Sidhu, S N Deshmukh, L G K Naidu and C Roy Chowdhury	569
Linkage between genes governing anthocyanin pigmentation in rice (*Oryza sativa*)	A P Singh, S C Prasad and J B Tomar	575
Genetic variability and character association of yield and its components in fingermillet (*Eleusine coracana*) in an acidic soil of Meghalaya	M J Abraham, A S Gupta and B K Sarma	579
Effect of distribution of agro-climatic elements on sorghum (*Sorghum bicolor*) yield at Surat	V Pandey and B R D Gupta	582
Multi-purpose power-operated dough-mixer for small-scale sector	S D Deshpande and Rajinder P Kachru	587
Effect of sowing date on phenology and growing degree-day requirement of winter maize (*Zea mays*)	D S Dahiya and S S Narwal	589

		PAGE
Inheritance of resistance against three isolates of bacterial blight (*Xanthomonas campestris* pv *oryzae*) in rice (*Oryza sativa*)	S T Tembhurnikar	592
Drought resistance in varieties of wheat (*Triticum aestivum*) in relation to root growth and drought indices	D Narayan and R D Misra	595
Correlation and regression analysis in linseed (*Linum usitatissimum*)	R R Patil, M N Sinha, R K Rai and Mahabir Parshad	598
Effect of inoculation of *Azospirillum lipoferum* on growth and yield of rice (*Oryza sativa*)	G Gopalaswamy, P Vidhyasekaran and S Chelliah	600
Interception of *Fusarium nivale* in exotic wheat (*Triticum* species) germplasm	Usha Dev, A Majumdar, P C Agarwal and Ram Nath	602
Efficacy of bleaching powder on incidence of charcoal rot (*Macrophomina phaseolina*) and grain yield in maize (*Zea mays*)	Hashmathunnisa Begum, G Koteswara Rao, R Bener Raj and Shaik Mohammad	604
Assessment of loss caused by powdery mildew (*Erysiphe cichoracearum*) of okra (*Hibiscus esculentus*) and its control	T S Sridhar and Poonam Sinha	606
Reaction of different citrus (*Citrus* species) rootstocks to citrus nematode, *Tylenchulus semipenetrans*	Y S Chandel and N K Sharma	608
Biology of brown scale (*Saissetia coffeae*) on pointed gourd (*Trichosanthes dioica*)	V M Valand, J I Patel and D M Mehta	610
Inheritance of resistance to stripe rust (*Puccinia striiformis*) in some yellow-rust-resistance testers of wheat (*Triticum aestivum*)	J K Luthra, K Vinod Prabhu and R P S Verma	617
Half-sib progeny analysis for variability, association among capsule traits and path-coefficient analysis among components of essential oil in large cardamom (*Amomum subulatum*)	G S Karibasappa, K R Dhiman and R N Rai	621
Effect of method of seeding and weed control on growth and yield of summer rice (*Oryza sativa*)	B C Nayak and D Lenka	626

		PAGE
Response of winter maize (*Zea mays*) to sowing date, irrigation and nitrogen levels in north-west India	D P S Nandal and S K Agarwal	629
Uptake pattern of nitrogen, phosphorus and protein in lentil (*Lens culinaris*) under various seed rates, row spacings and fertilizer levels	M C Sharma and H P Singh	634
Response of cauliflower (*Brassica oleracea* convar *botrytis* var *botrytis*) to boron in Chhotanagpur region	S C Kotur and S Kumar	640
Actual evapo-transpiration from maize (*Zea mays*) compared with potential evapo-transpiration and pan evaporation in Punjab	S S Hundal and B S Sandhu	645
Iron-cobalt interaction in growth and metabolism of maize (*Zea mays*)	S S Bisht and S C Mehrotra	650
Epidemiology of anthracnose of grape (*Vitis vinifera*) caused by *Elsinoe ampelina* around Hyderabad	K Chandrasekhara Rao and A Satyanarayana	655
Seasonal occurrence of green peach aphid (*Myzus persicae*) on peach (*Prunus persica*) tree	Tariq Mahmood, Mukhtar Ahmed, Hafeez-ur-Rahman and Zaeghum Mansoor Niazi	658
Dissipation of synthetic pyrethroids and monocrotophos residues on acid lime (*Citrus aurantiifolia*) fruits	M D Awasthi	660
Occurrence of flowering in betelvine (*Piper betle*)	N N Raghavendra Rao and Satyabrata Maiti	665
Effect of deblossoming on mango (*Mangifera indica*) malformation and fruit quality	Sesa Khader	667
Effect of zero tillage on wheat (*Triticum aestivum*) with rice (*Oryza sativa*)-stubble mulching	U N Verma, V C Srivastava and R B Prasad	669
Evaluation of nitrogen-management techniques for rainfed sunflower (*Helianthus annuus*)	A Karunakaran and SP Palaniappan	671
Effect of date of sowing on efficiency of phosphorus and sulphur use by linseed (*Linum usitatissimum*)	M S Aulakh, N S Pasricha and G S Bahl	673

		PAGE
Rock phosphate as substitute for single superphosphate in tossa jute (*Corchorus olitorius*) cultivation	S Banik, S K Bhattacharyya and S N Pandey	676
Response of potato (*Solanum tuberosum*) to nitrogen, phosphorus and potassium fertilization in dry temperate high hills of Himachal Pradesh	S P Sharma and H L Sharma	679
Effect of bio-fertilizers on growth of black pepper (*Piper nigrum*)	B M Bopaiah and K B Abdul Khader	682
Toxicity of insecticides on rice gall-midge (*Orseolia oryzae*) and its parasitoid (*Platygaster oryzae*)	C Durairaj, P C Sundara Babu and M S Venugopal	683
Genetics of resistance in blackgram (*Phaseolus mungo*) to powdery mildew caused by *Erysiphe polygoni*	R P Kaushal and B M Singh	684
Stability analysis as alternative to pooled analysis of fertilizer trials	P R Ramachander, B S Prabhakar, K Srinivas and Vishnu Shukla	685
Design capacity of irrigation system in sprinkler-irrigated *sewan* (*Lasiurus sindicus*) pasture	S D Singh and Y V Singh	689
Volatile carbonyl content of rice (*Oryza sativa*) leaf as a measure for quantifying aroma	M K Chakraborty and K V Patel	697
Estimation of gene action through triple-test cross in bread wheat (*Triticum aestivum*)	Gurdev Singh and G S Nanda	700
Hybrid necrosis in Indian wheat (*Triticum aestivum*) varieties	R Tiwari, A K Joshi and V P Singh	703
Date of sowing, spacing and nutrient requirement of groundnut (*Arachis hypogaea*) under mid-altitude of Meghalaya	G C Munda and C S Patel	706
Effect of fertilizer application on rainfed blackgram (*Phaseolus mungo*), lentil (*Lens culinaris*) and pigeonpea (*Cajanus cajan*) in farmers' fields	A L Bhandari, D S Rana and K N Sharma	709
Influence of soil texture and rainfall on leaching of potassium and its recovery by potato (*Solanum tuberosum*)	U C Sharma	713

		PAGE
Response of barley (*Hordeum vulgare*) genotypes to brown rust (*Puccinia hordei*) with variation in temperature	A C C Udeogalanya	718
Monosomic analysis of flag-leaf size in bread wheat (*Triticum aestivum*)	C Sridevi, J V Goud, K V Bhat and S S Patil	724
Evaluation of blackgram (*Phaseolus mungo*) germplasm for multiple-disease resistance	R P Kaushal and B M Singh	726
Effect of row spacing and seed rate on root growth, nodulation and yield of blackgram (*Phaseolus mungo*)	Ashok Kumar and B B Sharma	728
Response of broad bean (*Vicia faba*) and pea (*Pisum sativum*) varieties to salinity	R P Dua, S K Sharma and B Mishra	729
Phosphorus fertilization of pigeonpea (*Cajanus cajan*) and rice (*Oryza sativa*) intercropping	P K Mahapatra, D Satpathy and S K Uttaray	732
Effect of nitrogen and cutting management on quality components of forage pearlmillet (*Pennisetum glaucum*) varieties	G L Keshwa and M L Yadav	734
Effect of split application of nitrogen on yield of potato (*Solanum tuberosum*)	S P Sharma and J Shekhar	737
Evaluation of herbicides for weed control in potato (*Solanum tuberosum*)	P S Shekhawat and P L Maliwal	739
Effect of different herbicides and nitrogen levels on weed control and seed yield of Indian mustard (*Brassica juncea*)	G K Dashora, P L Maliwal and L N Dashora	742
Dense cultivation of senna (*Cassia acutifolia*) in newly reclaimed land	A S Shalaby, A M Razin and S S Ahmed	744
Protein and isozyme variations in blackgram (*Phaseolus mungo*)	S Ignacimuthu and B Kurusadi Xavier	747
Physiological efficiency of greengram (*Phaseolus radiatus*) and blackgram (*Phaseolus mungo*) with phosphate fertilization	S Narender Reddy, B Gopal Singh and I V Subba Rao	749
Incidence of foot-rot disease of black pepper (*Piper nigrum*) in Kerala in relation to cultivation practices	M Anandaraj, Jose Abraham, Y R Sarma and R Balakrishnan	751

		PAGE
Chemical control of bacterial leaf spot and fruit gummosis caused by *Xanthomonas campestris* pv *pruni* in almond (*Prunus dulcis*)	Krishan K Jindal, R C Sharma and V K Gupta	754
Effect of quinalphos residue on eggplant (*Solanum melongena*)	S K Sangama, S F Hameed and S P Singh	756
Biology of armyworm (*Mythimna separata*) on different host plants	S P N Singh and Lallan Rai	758
Genetic divergence among bivoltine races of silkworm (*Bombyx mori*)	G Subba Rao, S K Das, N K Das and S Nandi	761
Effect of storage and quality of water on wettability and shelf-life of some pesticide formulations	M Duraipandian and A Regupathy	766
Persistence of aldicarb residues in cowpea (*Vigna unguiculata*) and soil under tropical conditions	H C Meher, N P Agnihotri and C L Sethi	771
Effect of malathion resistance on tolerance to various environmental stresses in rust-red flour beetle (*Tribolium castaneum*)	R M Shukla, Gopi Chand and M L Saini	778
Effect of intercropping and post-monsoon irrigation on grain quality of pigeonpea (*Cajanus cajan*) in Vertisols	P S Kulhare and K P Tiwari	781
Influence of *gobhi sarson* (*Brassica napus*) and Indian mustard (*B. juncea*) intercropping on potato (*Solanum tuberosum*) yield, land-equivalent ratio and net returns	S S Narwal and Ved Prakash	786
Effect of nitrogen on yield, consumptive use and water-use efficiency of *toria* (*Brassica napus* var *napus*) and Indian mustard (*B. juncea*) under rainfed condition	A K Garai, P K Jana, B B Mandal and A Barik	791
Mid-season correction for groundnut (*Arachis hypogaea*) during moisture-stress period	V S Selvam, G N Shankaranarayana Rao and M S Soundara Rajan	795
Germplasm evaluation for leaf serration and estimation of leaf area by different methods in opium poppy (*Papaver somniferum*)	Smita Nigam, V S Kandalkar and K B Nigam	797

		PAGE
Short Communictions		
Adoption of a new parameter, gram day competition, for weed-control study	V B Bhanumurthy and S Subramanian	800
Dry-matter and nitrogen accumulation in french bean (*Phaseolus vulgaris*) as affected by nitrogen fertilization	Ajambar Rai and Percival B Alipit	802
Petiole-nutrient status of arid and semi-arid highland vineyards of Kinnaur in Himachal Pradesh	Nirmal Singh and A R Bhandari	805
Evaluation of plastochron ratio in groundnut (*Arachis hypogaea*) in field condition	B M Jamadagni and U K Sengupta	807
Genetic variability and correlation for yield and quality characters in tomato (*Lycopersicon esculentum*)	A S Sidhu and Surjan Singh	810
Metroglyph analysis of highly desirable characters in almond (*Prunus amygdalus*) selections under subtropical conditions	K Kumar, D K Uppal and O S Singh	812
Production potential and economics of cereal, pulse and oilseed crops	J P Sharma	815
Urease-inhibitors and coated-urea fertilizers for rice (*Oryza sativa*) in deltaic alluvials	R A Raju, K A Reddy and M M Husain	817
Plant analysis as a guide to sulphur fertilization of Indian mustard (*Brassica juncea*)	P S Rathore and S S Manohar	820
Effect of fertilizers and azotobacter inoculation on yield of maize (*Zea mays*) and wheat (*Triticum aestivum*) under dry-farming condition	A L Bhandari, K N Sharma, D S Rana and S S Thind	822
Effect of dimethoate on nodulation and nitrogenase activity of nodules in pea (*Pisum sativum*) and blackgram (*Phaseolus mungo*)	S K Soam and P K Agrawal	824
Book Reviews		82, 137, 203, 278, 339, 413, 482, 612, 688, 826